

Prediction of psychological well-being based on attitude toward religion and death anxiety in the elderly men of Kermanshah's part-time elderly care center

Payam Varaee^{1*} , Khodamorad Momeni¹, Asie Moradi¹

1- Department of Psychology, Faculty of social Sciences, Razi University, Kermanshah, Iran.

*Correspondence should be addressed to Mr. Payam varaee; Email: varaee.payam@stu.razi.ac.ir

Article Info

Received: Des 16, 2017

Received in revised form:

Feb 14, 2018

Accepted: Mar 3, 2018

Available Online: Mar 21, 2018

Keywords:

Attitude toward religion

Death anxiety

Elderly

Psychological well-being

Abstract

Background and Objective: Considering the vital importance of the elderly's well-being and the rapid growth of their populations, studying the role of various variables in the well-being of the elderly is necessary; therefore, the present study was conducted with the aim of investigating the relationship between psychological well-being and religiosity and death anxiety in the elderly.

Method: This research adopted a descriptive, correlational design. The statistical population of this study consisted of all elderly men in Kermanshah's part-time elderly care centers comprising 700 people in total. Out of this population, 200 individuals were selected by simple random sampling. The research instruments were Psychological Well-Being Questionnaire (Ryff, 1989), Muslim Attitudes toward Religion (Wilde and Joseph, 1997), and Death Anxiety Inventory (Templer, 1970). Entry criteria included: 1) a score of 22 at the cognitive state test, 2) a minimum age of 60 years, 3) a minimum of junior high school education, 4) enough monthly earnings. People who did not have these conditions were excluded. Pearson correlation coefficient and stepwise multiple regression were used for data analysis. All ethical issues were observed in the study and the researchers declared no conflict of interests.

Results: The findings showed that there was a significant, positive relationship between psychological well-being and religiosity ($r = 0.39$, $P < 0.001$) and a measurable, negative association between psychological well-being and death anxiety ($r = -0.19$, $P < 0.001$). The results of stepwise regression analysis also showed that Islamic attitude, death anxiety, and Islamic rituals can significantly predict 22% of psychological well-being in elderly people ($P < 0.001$).

Conclusion: Overall, psychological well-being can be increased in the elderly through increasing attention to the role of religiosity in life and the application of strategies that reduce the anxiety of death.

Please cite this article as: Varaee P, Momeni Kh, Moradi A. Prediction of psychological well-being based on attitude toward religion and death anxiety in the elderly men of Kermanshah's part-time elderly care center. *J Res Relig Health*. 2018; 4(2): 54- 68.

Summary

Background and Objective: The population of elderly in Iran is growing quickly (1). This growing population faces mental needs, the most important of which is psychological well-being. Seniors with a high psychological well-being will be able to overcome the difficulties and challenges they encounter in this period of their lives (2, 3).

Religiosity is one of the main parts of individuals' lives that can influence their psychological well-being (4, 5). Death anxiety is also one of the most important existential challenges of the elderly (6). Therefore, death anxiety can affect seniors' psychological well-being. In the domain of the role of religion on well-being, and also the relationship between death anxiety and well-being, contradictions exist in the available literature. Therefore, the present study aimed to investigate the relationship between seniors' religiosity

and death anxiety, on the one hand, and psychological well-being, on the other hand.

Method: This research adopted a descriptive, correlational design. The statistical population of this study consisted of all elderly men in Kermanshah's part-time elderly care centers comprising 700 people in total. Out of this population, 200 individuals were selected by simple random sampling. Entry criteria included: (1) a score of 22 at the cognitive state test, (2) a minimum age of 60 years, (3) a minimum of junior high school education, (4) enough monthly earnings. People who did not have these conditions were excluded. Pearson correlation coefficient and stepwise multiple regression were used for data analysis.

The following instruments were used for data collection:

Mini-Mental State Examination: This questionnaire is used in psychological examinations for detecting cognitive impairment. The maximum score is 30 and grades equal to or lower than 23 represent cognitive impairment (7).

Ryff Scale Psychological Well-being: The short version of the Ryff Scale Psychological Well-being (18 items) was used in this study (8, 9). The correlation of the short version and the main scale range from 0.70 to 0.89 (2). Also, in this research, Cronbach's alpha for the entire questionnaire was 0.87.

Muslim Attitudes toward Religion Scale: This scale, which comprises 14 items, measures Muslims' attitudes toward Islam. This version consists of three factors (10). The internal reliability of the questionnaire in Iran (calculated via Cronbach's alpha) was 0.93 (11). Also, the obtained Cronbach's alpha reliability index for the questionnaire was 0.87 in the current study.

Templar Scale death anxiety: This scale, which was developed by Templer (1970), is the most widely used instrument for measuring death anxiety (12). The validity and reliability of this questionnaire was examined in Iran, with coefficients of 0.62 and 0.73 for split-half reliability and internal consistency, respectively (13). In this research, the obtained Cronbach's alpha for the questionnaire was 0.69.

Results: The findings showed that there was a significant, positive relationship between psychological well-being and religiosity ($r = 0.39$, $P < 0.001$) and a measurable, negative association between psychological well-being and death anxiety ($r = -0.19$, $P < 0.001$). The results of stepwise regression analysis also showed that Islamic attitude, death anxiety, and Islamic rituals can significantly predict 22% of psychological well-being in elderly people ($P < 0.001$).

Conclusion: The results of this study showed that psychological well-being has a positive and significant relationship with religiosity, hence the first research hypothesis is approved. This finding is in line with the results of Tiwari *et al.* (14) and Ivtzan *et al.* (15). They are however in contrast with Brown and Tierney's (16) and Francis *et al.*'s (17) findings. This variety of findings can be attributed to the idea that, on the one

hand, religiosity has no equal relationship with all aspects of mental health and well-being and, on the other hand, all aspects of religion have no equal relationship with a particular aspect of mental health and well-being (18). More specifically, a certain aspect of religiosity may have positive effect on a particular dimension of mental health. The same aspect may exercise no effect, or even a negative impact, on other dimensions of mental health and well-being (19).

To explain the findings of the present research, it is argued that religion changes people's lifestyle in a certain way, exercising a positive impact on health. Through the provision of a framework for describing and interpreting life experiences and thus providing a sense of coherence and existential connectivity, and through the experience of communicating with others, religion enters a larger support system that can contribute to psychological well-being (20).

Furthermore, the results showed that psychological well-being had a negative and significant relationship with death anxiety. This finding was in line with the results of McKenzie *et al.* (21) and Routledge *et al.* (22). Conversely, it was in contradiction with the results of the research projects conducted by Abdel-Khalek (23) and Urien and Kilbourne (24). In explaining this finding, it can be argued that, according to fear management theory, awareness of death creates high anxiety and reduces psychological adaptive performance, leading to psychological problems and negatively affecting well-being because death anxiety conflicts with the evolutionary motive for survival (25).

In general, the results of this study showed that there is a positive relationship between psychological well-being in the elderly and their religiosity. On the other hand, there is a negative association between seniors' psychological well-being and their death anxiety. According to the results of this study, religiosity has a greater effect on psychological well-being in comparison with death anxiety. Considering the cultural and religious context of the society, besides the importance of decreasing the anxiety of death, religious components can be used to promote well-being among the elderly. In general, the results of this study can be effective in increasing the well-being of the elderly.

References

1. Nations U. World population ageing 2013. Department of Economic and Social Affairs PD. 2013.
2. Ryff CD, Singer BH. Best news yet on the six-factor model of well-being. *Social Science Research*. 2006;35(4):1103-19.
3. Yeung DY. Aging and Psychological Well-Being. In: Pachana NA, editor. *Encyclopedia of Geropsychology*. Singapore: Springer Singapore; 2015. p. 1-6.
4. Emmons RA, Barrett JL, Schnitker SA. Personality

and the capacity for religious and spiritual experience. The Guilford Press: New York; 2010.

5. Kamp Dush CM, Taylor MG, Kroeger RA. Marital happiness and psychological well-being across the life course. *Family relations*. 2008;57(2):211-26.

6. Ryff CD, Keyes CLM. The structure of psychological well-being revisited. *Journal of personality and social psychology*. 1995;69(4):719.

7. Cockrell JR, Folstein MF. Mini-mental state examination. *Principles and practice of geriatric psychiatry*. 2002:140-1.

8. Ryff CD. Happiness is everything, or is it? Explorations on the meaning of psychological well-being. *Journal of personality and social psychology*. 1989;57(6):1069.

9. Khanjani M, Shahidi S, Fath Abadi J, Mazaheri M, Shokri O. Factor Structure and Psychometric Properties of Short Form (18 questions) Ryff Psychological Well-Being Scale in Male and Female Students. *Thought and behavior in clinical psychology*. 2014;8(32):27-36.(Full Text in Persian)

10. Wilde A, Joseph S. Religiosity and personality in a Moslem context. *Personality and Individual Differences*. 1997;23(5):899-900.

11. Ghorbani N, Watson PJ, Ghramaleki AF, Morris RJ, Hood Jr RW. Muslim attitudes towards religion scale: Factors, validity and complexity of relationships with mental health in Iran. *Mental Health, Religion & Culture*. 2000;3(2):125-32.

12. Templer DI. The construction and validation of a death anxiety scale. *The Journal of general psychology*. 1970;82(2):165-77.

13. Rajabi G, Bohrani M. Factor Analysis of Death Anxiety Scale Questions. *Journal of Psychology*. 2001;4(20):331-44.(Full Text in Persian)

14. Tiwari S, Singh R, Chand H. Spirituality and Psychological Wellbeing of Elderly of Uttarakhand: A Comparative Study Across Residential Status. 2016.

15. Ivztan I, Chan CP, Gardner HE, Prashar K. Linking religion and spirituality with psychological well-being: Examining self-actualisation, meaning in life, and personal growth initiative. *Journal of religion and health*. 2013;52(3):915-29.

16. Brown PH, Tierney B. Religion and subjective well-being among the elderly in China. *The Journal of Socio-Economics*. 2009;38(2):310-9.

17. Francis LJ, Elken A, Robbins M. The affective dimension of religion and personal happiness among students in Estonia. *Journal of Research on Christian Education*. 2012;21(1):84-90.

18. Koenig HG. Faith and mental health: Religious resources for healing: Templeton Foundation Press; 2009.

19. Krauss SW, Hood Jr RW. A new approach to religious orientation: The commitment-reflectivity circumplex: Rodopi; 2013.

20. Levin JS. Dimensions and correlates of general well-being among older adults. *Journal of Aging and Health*. 1994;6(4):489-506.

21. McKenzie EL, Brown PM, Mak AS, Chamberlain P. 'Old and ill': death anxiety and coping strategies influencing health professionals' well-being and dementia care. *Aging & mental health*. 2017;21(6):634-41.

22. Routledge C, Ostafin B, Juhl J, Sedikides C, Cathey C, Liao J. Adjusting to death: the effects of mortality salience and self-esteem on psychological well-being, growth motivation, and maladaptive behavior. *Journal of personality and social psychology*. 2010;99(6):897.

23. Abdel-Khalek AM. Happiness and death distress: Two separate factors. *Death studies*. 2005;29(10):949-58.

24. Urien B, Kilbourne W. On the role of materialism in the relationship between death anxiety and quality of life. *ACR North American Advances*. 2008.

25. Solomon S, Greenberg J, Pyszczynski T. A terror management theory of social behavior: The psychological functions of self-esteem and cultural worldviews. *Advances in experimental social psychology*. 1991;24:93-159.

التنبؤ بمستوى الرفاه النفسي على اساس الموقف من الدين وقلق الموت لدى كبار السن في مركز كرمشاه لرعاية المسنين

بيام ورعي^{١*}، خدامراد مؤمني^١، آسيه مرادي^١

١ - قسم علم النفس العام، كلية العلوم الاجتماعية، جامعة الرازي، كرمشاه، إيران.

* المراسلات موجهة إلى السيد بيام ورعي؛ البريد الإلكتروني: varaee.payam@stu.razi.ac.ir

معلومات المادة

الوصول: ٢٧ ربيع الأول ١٤٣٩
 وصول النص النهائي: ٢٧ جمادى الأولى ١٤٣٩
 القبول: ١٤ جمادى الثاني ١٤٣٩
 النشر الإلكتروني: ٤ رجب ١٤٣٩

الألفاظ الرئيسية:

الرفاه النفسي
 الشيخوخة
 القلق من الموت
 الموقف تجاه الدين

الملخص

خلفية البحث وأهدافه: بالنظر إلى الدور المهم والمتصاعد لرفاه المسنين، فإن دراسة دور المتغيرات المختلفة في الرفاهية تبدو ضرورية، لذلك يستهدف البحث الحالي، دراسة العلاقة بين الرفاه النفسي والتدين والقلق من الموت لدى الرجال المسنين.

منهجية البحث: هذه الدراسة الوصفية هي من نوع الارتباط. لقد تألف المجتمع الإحصائي في الدراسة من ٧٠٠ رجل مسن مقيم في دور رعاية المسنين، تم اختيار ٢٠٠ منهم بواسطة عينة عشوائية بسيطة. وشملت أدوات البحث، استبيان "ريف" للرفاه النفسي، مقياس موقف المسلمين من الدين لـ"ايلد وجوزيف"، واستبيان قلق الموت لـ"تمبلر". وتشمل معايير القبول للانضمام في البحث، الحصول على درجة أكثر من ٢٢ في اختبار الوضع النفسي، العمر أكثر من ٦٠ سنة، امتلاك شهادة ثانوية على الأقل، والراتب الشهري بما فيه الكفاية. تم رفض الأشخاص الذين ليس لديهم هذه الشروط. وتحليل البيانات، تم استخدام معامل ارتباط بيرسون وتحليل الانحدار التدريجي. تمت مراعاة جميع الموارد الأخلاقية في هذا البحث، وإضافة إلى هذا، فإن مؤلفي المقالة لم يشيروا إلى تضارب المصالح.


الكشوفات: أظهرت النتائج وجود علاقة إيجابية هامة بين الرفاه النفسي والتدين ($r=0.39$) وعلاقة سلبية ($r=-0.19$) بين الرفاه النفسي وقلق الموت ($P<0.001$). وأظهرت نتائج تحليل الانحدار التدريجي أن النظرة الدينية والقلق من الموت والمناسك الدينية (على حسب الأهمية) يمكن أن تتنبأ بنسبة ٢٢٪ من الرفاه النفسي لدى كبار السن ($P<0.001$).

النتيجة: إذن، مع تصاعد الاهتمام بدور التدين في الحياة وتطبيق الاستراتيجيات التي تقلل من قلق الموت، يمكن رفع مستوى الرفاه النفسي في كبار السن.

يتم استناد المقالة على الترتيب التالي:

Varaee P, Momeni Kh, Moradi A. Prediction of psychological well-being based on attitude toward religion and death anxiety in the elderly men of Kermanshah's part-time elderly care center. J Res Relig Health. 2018; 4(2): 54- 68.

پیش‌بینی بهزیستی روان‌شناختی بر اساس نگرش به دین و اضطراب مرگ در مردان سالمند مرکز نگهداری نیمه‌وقت شهر کرمانشاه

پیام ورعی^{۱*} , خدامراد مؤمنی^۱، آسیه مرادی^۱

۱- گروه روان‌شناسی، دانشکده‌ی علوم اجتماعی، دانشگاه رازی، کرمانشاه، ایران.

مکاتبات خطاب به آقای پیام ورعی؛ رایانامه: varaee.payam@stu.razi.ac.ir

اطلاعات مقاله

دریافت: ۲۵ آذر ۹۶

دریافت متن نهایی: ۲۵ بهمن ۹۶

پذیرش: ۱۲ اسفند ۹۶

نشر الکترونیکی: ۱ فروردین ۹۷

واژگان کلیدی:

اضطراب مرگ

بهزیستی روان‌شناختی

سالمندی

نگرش به دین

چکیده

سابقه و هدف: با توجه به نقش مهم و روزافزون بهزیستی سالمندان، بررسی نقش متغیرهای مختلف در بهزیستی ضروری به نظر می‌رسد؛ بنابراین پژوهش حاضر با هدف بررسی رابطه‌ی بهزیستی روان‌شناختی با دین‌داری و اضطراب مرگ در سالمندان مرد صورت گرفته است.

روش کار: این پژوهش توصیفی از نوع همبستگی است. جامعه‌ی آماری پژوهش شامل ۷۰۰ مرد سالمند سراهای نگهداری نیمه‌وقت سالمندان شهر کرمانشاه است، که ۲۰۰ نفر از آنان به‌روش تصادفی ساده انتخاب شدند. ابزارهای پژوهش شامل پرسش‌نامه‌ی بهزیستی روان‌شناختی ریف، مقیاس نگرش مسلمانان به دین وایلد و جوزف و پرسش‌نامه‌ی اضطراب مرگ تمپلر بود. معیارهای ورود به پژوهش نیز شامل کسب نمره‌ی بالای ۲۲ در آزمون وضعیت روانی، داشتن سن حداقل ۶۰ سال، داشتن تحصیلات راهنمایی یا بالاتر و داشتن حداقل درآمد ماهیانه برای گذراندن زندگی بود. افرادی که دارای این شرایط نبودند از مطالعه خارج شدند. برای تحلیل داده‌ها از ضریب همبستگی پیرسون و تحلیل رگرسیون گام‌به‌گام استفاده شد. در این پژوهش همه‌ی موارد اخلاقی رعایت شده است. علاوه‌براین، نویسندگان مقاله هیچ‌گونه تضاد منافع‌ی گزارش نکرده‌اند.

یافته‌ها: یافته‌ها نشان داد که بین بهزیستی روان‌شناختی با دین‌داری ($r=0/39$) رابطه‌ی مثبت و با اضطراب مرگ ($r=-0/19$) رابطه‌ی منفی و معنی‌داری وجود دارد ($P<0/001$). نتایج تحلیل رگرسیون گام‌به‌گام نیز نشان داد که به‌ترتیب اهمیت؛ نگرش اسلامی، اضطراب مرگ و مناسک اسلامی به‌طور معناداری قادر به پیش‌بینی ۲۲ درصد از بهزیستی روان‌شناختی در سالمندان بودند ($P<0/001$).

نتیجه‌گیری: بنابراین با توجه به نقش دین‌داری در زندگی و به‌کارگیری راهبردهایی که موجب کاهش اضطراب مرگ می‌شود، می‌توان بهزیستی روان‌شناختی را در سالمندان افزایش داد.

استناد مقاله به این صورت است:

Varaee P, Momeni Kh, Moradi A. Prediction of psychological well-being based on attitude toward religion and death anxiety in the elderly men of Kermanshah's part-time elderly care center. J Res Relig Health. 2018; 4(2): 54- 68.